


## Name of Product(s) / Product Art.no

PDT12  
PDT12C  
PDT12C-2  
PDT12S25-2  
PDT12S25C-2  
PDT12S75-2  
PDT12S75C-2  
PDT25  
PDT25C  
PDT25C-2  
PDT75  
PDT75C



## COMPANY INFORMATION

### Description

Regin is the collected trademark for products and systems in building automation. The company's knowledge is based on many years of wide experience in control, automation and flow control.

AB Regin has a certified quality assurance system according to ISO 9001.

Company: AB Regin

Post: Sweden, Box 116, 428 22, Kållerød

Phone: +46 – (0)31 720 02 00

E-mail: [info@regin.se](mailto:info@regin.se)

Website: <https://www.regincontrols.com>

### Environmental policy

Regin develops products both on a commissioned basis and for general market distribution. Environmental considerations are integrated into product development processes and supplier and component selection.

## PRODUCT INFORMATION

### General

The recommended field of application is stated in the technical documentation.

There is an unambiguous and lasting label (manufacturer, product name, serial number etc) on the product.

The labelling is linked to the technical documentation which makes the product clearly identifiable.

**Country of origin:** Sweden

## USAGE

### Normal operation

The product does not have any environmental impact on the surrounding environment during normal operation.

Please visit our website for products technical documents, installation or user manuals.

### Waste management

The product is prepared for environmental-friendly dismantling and sorts according to the WEEE-directive. The long lifespan of the product means that the recycling situation may differ from when the product is acquired and to be recycled.

The product is required, by law, to be handled according to standard waste management procedures. The materials can easily be separated to a high separation degree.

Dismantling of the product: separate the plastic, metals and electronic parts and recycle at appropriate facility and according to local laws.

### Packaging

Cardboard box: 61g (single-sensor models), 77g (dual-sensor models)

Technical documents: 10g

Disposal: Recyclable, disposes according to local law.

## METHODOLOGICAL ASSUMPTIONS

### Weight tolerance

All stated total weights in this document are subject to a tolerance of  $\pm 3\%$ .


### Cut-off rules

Certain minor materials used in electronic products, such as solder and product labels, are excluded from the weight breakdown due to their insignificant contribution to total weight and limited data relevance. All reasonable efforts have been made to ensure that these exclusions do not lead to misleading environmental information.

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	PDT12		PDT12C		PDT12C-2	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>101,00</b>	<b>76,79%</b>	<b>101,00</b>	<b>73,71%</b>	<b>138,00</b>	<b>78,58%</b>
Polycarbonate	25766-59-0	84,00	63,86%	84,00	61,31%	119,00	67,76%
Polyamide	63428-83-1	12,00	9,12%	12,00	8,76%	12,00	6,83%
EPDM rubber	308064-28-0	1,00	0,76%	1,00	0,73%	2,00	1,14%
Cables and Assemblies		2,00	1,52%	2,00	1,46%	4,00	2,28%
Steel		2,00	1,52%	2,00	1,46%	1,00	0,57%
<b>Electronics</b>		<b>30,53</b>	<b>23,21%</b>	<b>36,02</b>	<b>26,29%</b>	<b>37,62</b>	<b>21,42%</b>
Connectors		4,84	3,68%	9,90	7,23%	9,90	5,64%
LEDs		0,17	0,13%	0,26	0,19%	0,26	0,15%
Passive Components		2,75	2,09%	2,49	1,82%	2,49	1,42%
Power and Circuit Protection		0,08	0,06%	0,16	0,11%	0,16	0,09%
Printed Circuit Board		19,00	14,45%	19,38	14,14%	19,38	11,03%
Electromechanical		1,10	0,84%	1,10	0,80%	1,10	0,63%
Semiconductors		0,99	0,75%	1,14	0,83%	1,14	0,65%
Sensors		1,60	1,22%	1,60	1,17%	3,20	1,82%
<b>Total product weight</b>		<b>131,53</b>		<b>137,02</b>		<b>175,62</b>	
<b>Accessories*</b>		<b>51,00</b>		<b>51,00</b>		<b>102,00</b>	
PVC	9002-86-2	44,00	86,27%	44,00	86,27%	88,00	86,27%
ABS	9003-56-9	5,00	9,80%	5,00	9,80%	10,00	9,80%
Steel		2,00	3,92%	2,00	3,92%	4,00	3,92%
<b>Total bundle weight</b>		<b>182,53</b>		<b>188,02</b>		<b>277,62</b>	




\* The PDT series is supplied bundled with one or two ANS-20 accessories, consisting of a 2 m plastic tube and two straight pressure outlets.

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	PDT12S25-2		PDT12S25C-2		PDT12S75-2	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>103,00</b>	<b>74,38%</b>	<b>103,00</b>	<b>73,25%</b>	<b>103,00</b>	<b>74,38%</b>
Polycarbonate	25766-59-0	84,00	60,66%	84,00	59,74%	84,00	60,66%
Polyamide	63428-83-1	12,00	8,67%	12,00	8,53%	12,00	8,67%
EPDM rubber	308064-28-0	1,00	0,72%	1,00	0,71%	1,00	0,72%
Cables and Assemblies		4,00	2,89%	4,00	2,84%	4,00	2,89%
Steel		2,00	1,44%	2,00	1,42%	2,00	1,44%
<b>Electronics</b>		<b>35,48</b>	<b>25,62%</b>	<b>37,62</b>	<b>26,75%</b>	<b>35,48</b>	<b>25,62%</b>
Connectors		7,05	5,09%	9,90	7,04%	7,05	5,09%
LEDs		0,17	0,13%	0,26	0,19%	0,17	0,13%
Passive Components		2,87	2,07%	2,49	1,77%	2,87	2,07%
Power and Circuit Protection		0,12	0,09%	0,16	0,11%	0,12	0,09%
Printed Circuit Board		19,00	13,72%	19,38	13,78%	19,00	13,72%
Electromechanical		1,85	1,34%	1,10	0,78%	1,85	1,34%
Semiconductors		1,22	0,88%	1,14	0,81%	1,22	0,88%
Sensors		3,20	2,31%	3,20	2,28%	3,20	2,31%
<b>Total product weight</b>		<b>138,48</b>		<b>140,62</b>		<b>138,48</b>	
<b>Accessories*</b>		<b>102,00</b>		<b>102,00</b>		<b>102,00</b>	
PVC	9002-86-2	88,00	86,27%	88,00	86,27%	88,00	86,27%
ABS	9003-56-9	10,00	9,80%	10,00	9,80%	10,00	9,80%
Steel		4,00	3,92%	4,00	3,92%	4,00	3,92%
<b>Total bundle weight</b>		<b>240,48</b>		<b>242,62</b>		<b>240,48</b>	




\* The PDT series is supplied bundled with one or two ANS-20 accessories, consisting of a 2 m plastic tube and two straight pressure outlets.

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	PDT12S75C-2		PDT25		PDT25C	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>103,00</b>	<b>73,25%</b>	<b>101,00</b>	<b>76,79%</b>	<b>101,00</b>	<b>73,71%</b>
Polycarbonate	25766-59-0	84,00	59,74%	84,00	63,86%	84,00	61,31%
Polyamide	63428-83-1	12,00	8,53%	12,00	9,12%	12,00	8,76%
EPDM rubber	308064-28-0	1,00	0,71%	1,00	0,76%	1,00	0,73%
Cables and Assemblies		4,00	2,84%	2,00	1,52%	2,00	1,46%
Steel		2,00	1,42%	2,00	1,52%	2,00	1,46%
<b>Electronics</b>		<b>37,62</b>	<b>26,75%</b>	<b>30,53</b>	<b>23,21%</b>	<b>36,02</b>	<b>26,29%</b>
Connectors		9,90	7,04%	4,84	3,68%	9,90	7,23%
LEDs		0,26	0,19%	0,17	0,13%	0,26	0,19%
Passive Components		2,49	1,77%	2,75	2,09%	2,49	1,82%
Power and Circuit Protection		0,16	0,11%	0,08	0,06%	0,16	0,11%
Printed Circuit Board		19,38	13,78%	19,00	14,45%	19,38	14,14%
Electromechanical		1,10	0,78%	1,10	0,84%	1,10	0,80%
Semiconductors		1,14	0,81%	0,99	0,75%	1,14	0,83%
Sensors		3,20	2,28%	1,60	1,22%	1,60	1,17%
<b>Total product weight</b>		<b>140,62</b>		<b>131,53</b>		<b>137,02</b>	
<b>Accessories*</b>		<b>102,00</b>		<b>51,00</b>		<b>51,00</b>	
PVC	9002-86-2	88,00	86,27%	44,00	86,27%	44,00	86,27%
ABS	9003-56-9	10,00	9,80%	5,00	9,80%	5,00	9,80%
Steel		4,00	3,92%	2,00	3,92%	2,00	3,92%
<b>Total bundle weight</b>		<b>242,62</b>		<b>182,53</b>		<b>188,02</b>	




\* The PDT series is supplied bundled with one or two ANS-20 accessories, consisting of a 2 m plastic tube and two straight pressure outlets.

## Component modules & materials

### Subcomponents in different models

Components	CAS nr	PDT25C-2		PDT75		PDT75C	
		Weight (g)	Weight (%)	Weight (g)	Weight (%)	Weight (g)	Weight (%)
<b>Housing</b>		<b>103,00</b>	<b>73,25%</b>	<b>101,00</b>	<b>76,79%</b>	<b>101,00</b>	<b>73,71%</b>
Polycarbonate	25766-59-0	84,00	59,74%	84,00	63,86%	84,00	61,31%
Polyamide	63428-83-1	12,00	8,53%	12,00	9,12%	12,00	8,76%
EPDM rubber	308064-28-0	1,00	0,71%	1,00	0,76%	1,00	0,73%
Cables and Assemblies		4,00	2,84%	2,00	1,52%	2,00	1,46%
Steel		2,00	1,42%	2,00	1,52%	2,00	1,46%
<b>Electronics</b>		<b>37,62</b>	<b>26,75%</b>	<b>30,53</b>	<b>23,21%</b>	<b>36,02</b>	<b>26,29%</b>
Connectors		9,90	7,04%	4,84	3,68%	9,90	7,23%
LEDs		0,26	0,19%	0,17	0,13%	0,26	0,19%
Passive Components		2,49	1,77%	2,75	2,09%	2,49	1,82%
Power and Circuit Protection		0,16	0,11%	0,08	0,06%	0,16	0,11%
Printed Circuit Board		19,38	13,78%	19,00	14,45%	19,38	14,14%
Electromechanical		1,10	0,78%	1,10	0,84%	1,10	0,80%
Semiconductors		1,14	0,81%	0,99	0,75%	1,14	0,83%
Sensors		3,20	2,28%	1,60	1,22%	1,60	1,17%
<b>Total product weight</b>		<b>140,62</b>		<b>131,53</b>		<b>137,02</b>	
<b>Accessories*</b>		<b>102,00</b>		<b>51,00</b>		<b>51,00</b>	
PVC	9002-86-2	88,00	86,27%	44,00	86,27%	44,00	86,27%
ABS	9003-56-9	10,00	9,80%	5,00	9,80%	5,00	9,80%
Steel		4,00	3,92%	2,00	3,92%	2,00	3,92%
<b>Total bundle weight</b>		<b>242,62</b>		<b>182,53</b>		<b>188,02</b>	



\* The PDT series is supplied bundled with one or two ANS-20 accessories, consisting of a 2 m plastic tube and two straight pressure outlets.